

MATERIAL SAFETY DATASHEET (MSDS) ALLOC TILE

1. PRODUCT AND COMPANY IDENTIFICATION

Common name: Alloc Tile
Trade name: Alloc Tile
Manufacturer: Alloc AS,
Fiboveien 26, NO-4580 Lyngdal
Telephone: + 47 3834 2213
Contact person: Tor Gunnar Bartnes

2. COMPOSITION AND INFORMATION ON INGREDIENTS

Name: Formaldehyde
CAS-nr. 50-00-0
% by weight < 0,01 %
Health -
Risk -

3. HAZARDS IDENTIFICATION

Installation of Alloc Tile:
When cutting, make sure you operate on a steady support.

4. FIRST AID MEASURES

Installation of Alloc Tile:
If bleeding should occur due to cutting, use bandage under compression to prevent further bleeding. If bleeding doesn't stop, seek medical attention.
If eye irritation occur due to repeated exposure of the eyes to dust from cutting, rinse immediately with plenty of water.
Cutting dust can be removed from skin by water and soap.

5. FIRE AND EXPLOSION DATA

Alloc Tile is considered hardly inflammable.
Fire fighting media: Water, dry chemicals or foam.

6. ACCIDENTAL RELEASE MEASURES

Not applicable.

7. HANDLING AND STORAGE

Alloc Tile is to be stored under roof, away from rain and snow.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Installation of Alloc Tile:

When cutting with a motorised cutting tool or electrical saw, make sure to employ the recommended personal protection outfit/ equipment.

Safety glasses. Minimise skin contact to dust. Gloves suitable for protection against cuts from rough, sharp edges are recommended.

Wear dust protective mask when ventilation is inadequate.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Solid material; DPL on HDF.
 Colour: Various colours/ patterns; otherwise not applicable
 Odour: Not applicable
 Solubility description: Insoluble in water and oil.
 Density: Approx. 900 kg/ m³
 PH-value, cons. solution: Not available

10. STABILITY AND REACTIVITY

Alloc Tile is considered stable and not reactive. It will not undergo any hazardous polymerisation.

11. TOXICOLOGICAL INFORMATION

Alloc Tile is considered not dangerous for humans.

12. ECOLOGICAL INFORMATION

Not applicable.

13. DISPOSAL CONSIDERATIONS

Alloc Tile can be left at ordinary disposal sites/ containers.

The packing of plastic is made out of polyethylene (PE) and can be left at ordinary disposal sites/ containers.

The boxes of cardboard are to be deposited as ordinary paper where source segregation is a part of the local waste disposal programme.

14. TRANSPORT INFORMATION

Road transport: ADR Not regulated
 Ocean transport: IMDG Not regulated
 Air transport: IATA Not regulated



Doc.no: HM-0403-3T	Date: 23.03.2004
Replaces: -	Page: 3 of 3

15. OTHER REGULATORY INFORMATION

Not regulated

16. OTHER INFORMATION

Information sources:
Technical Datasheet

Definitions:

DPL Direct Pressure Laminate.
HDF High Density Fibreboard
MSDS Material Safety Datasheet
ADR Agreement on Dangerous Goods by road (Europe)
CAS Chemical Abstract Services
IATA International Air Travel Assosiation

MSDS is made of: Technical Product Division
Alloc AS
Fiboveien 26
NO-4580 Lyngdal, Norway